



ITEM	DESCRIPTION	PART NO.	REQ'D
1.	Swivel Plate	943-5-1	1
2.	Lever	8179-7-1	1
3.	Stud	8179-7-2	1
4.	Washer	8179-7-4	1
5.	Hex Nut	8179-7-3	1
•			2
б.	Cotter Pin	8179-7-5	1
7.	Lever Spring	8179-4-5	1
8.	Grease Fitting	943-4-16	5
9.	Lock Plate	8179-3-11	1 1
10.	Shoulder Bolt	8179-3-12	1
11.	Jaw Pin	8179-3-10	2
12.	Pin	943-5A-4	2
	Grease Fitting	8179-3-14	2 2 2
	Jaw Set	8179-3-1&2	1
15.	Plunger Shaft	8179-7-6	1
10.	1 langer share		
16.	Plunger Spring	8179-4-7	1
17.	Plunger	8179-3-3	1
18.	Plunger Stud	8179-3-4	1
19.	Setscrew	8179-3-13	1
20.	Washer	8179-3-5	1
	AL 2	8179-3-15	1
21.	Hex :Nut	8179-8-16	ĺ
	Cotter Pin	8179-4-2	i
	Latch	8179-4-4	i
	Latch Spring	8179-4-3	1
25.	Stud	01/9-4-3	1
26.	Washer	8179-4-10	1
27.	Hex Nut	8179-4-11	1
	Cotter Pin	8179-4-12	1
29.	Trunnion	943-4-1	1
30.	Rocker Arm	943-5D-8	2
	8	8179-5-3	2
31.	Bushing	943-3-1	2
32.	Mounting Bracket	943-3-6	4
33.		943-4-18	1
	Upper Shaft		1
35.	Lower Shaft	943-4-19	<u>.</u>
36.	Inner Washer	943-4-14	4
30. 37.	Outer Washer	943-4-17	4
	Pin	943-5D-9	2
38.	Cotter Pin	943-4-15	4
	Slotted Hex Nut	943-4-13	. 2
40.	210 FFEG HEY HAT	and the second	_
41.	Slotted Hex Nut	943-4-13A	2
		×	W

Ē